Multiway Ind (HK), Ltd.








| Item Model# | | Safety Listed Photo | | Description | | |
|-------------|--|------------------------|---|---|--|--|
| FA-749P | FA-749P115 FA-749P515 FA-749P520 FA-749P615 FA-749P620 | cULus | | 15A/20A 125V attachment plug 15A/20A 250V attachment plug Nema: 1-15,5-15,5-20,6-15,6-20. Wire sizes: AWG# 18 to AWG# 14 For 1-15P | | |
| FA-749R | FA-749R115 FA-749R515 FA-749R520 FA-749R615 FA-749R620 | UL | | Wire sizes: AWG# 16 to AWG# 12 For 5-15P,5-20P,6-15P,6-20P 15A/20A 125V attachment receptacle 15A/20A 250V attachment receptacle Nema: 1-15,5-15,5-20,6-15,6-20. Wire sizes: AWG# 18 to AWG# 14 For 1- 15R Wire sizes: AWG# 16 to AWG# 12 For 5-15R,5-20R,6-15R,6-20I | | |
| FA-750P | FA-750P115 FA-750P515 FA-750P520 FA-750P615 FA-750P620 | cULus | | 15A/20A 125V attachment plug Armored housing automatically grounded. Nema: 1-15,5-15,5-20,6-15,6-20. For wire sizes: AWG# 18 to AWG# 12 | | |
| FA-750R | FA-750R115 FA-750R515 FA-750R520 FA-750R615 FA-750R620 | cULus | | 15A/20A 125V attachment receptacle Armored housing automatically grounded. Nema: 1-15,5-15,5-20,6-15,6-20. For wire sizes: AWG# 18 to AWG# 12 | | |
| FA-751P | FA-751P1430 FA-751P1450 FA-751P1050 FA-751P1030 FA-751P630 FA-751P650 FA-751P63050 | cULus | | # FA-751P series for 30/50 amp 125/250V. SRDT AWG#10-6, 3 wire & 4 wire. Dual Voltage selection available :- FA-751P63050 Good for Nema 6-30 / 6-50P FA-751P103050 Good for Nema 10-30 / 10-50P FA-751P143050 Good for Nema 14-30 / 14-50P | | |
| FA-752P | FA-752P115 FA-752P515 FA-752P520 FA-752P615 FA-752P620 | cULus | 1 | 15A/20A 125V attachment plug Nema: 1-15,5-15,5-20,6-15,6-20. For wire sizes: SJT AWG# 16 to AWG# 12 FA-752P515 is Hospital Grade attachment plug | | |
| FA-752PL | FA-752PL515 FA-752PL520 FA-752PL620 | cULus | | 15A/20A 125V Locking tape attachment plug Nema configurations L5-15P,L5-20. For wire sizes: SJT,ST AWG# 16 to AWG# 12 | | |
| FA-752R | FA-752R115 FA-752R515 FA-752R520 FA-752R615 FA-752R620 | cULus | | 15A/20A 125V attachment receptacle Nema: 1-15,5-15,5-20,6-15,6-20. For wire sizes: SJT AWG# 16 to AWG# 12 | | |
| FA-753P | FA-753P115 FA-753P515 FA-753P520 FA-753P615 FA-753P620 | cULus | | 15A/20A 125V attachment plug Nema: 1-15,5-15,5-20,6-15,6-20. For wire sizes: SJT AWG# 18 to AWG# 12 | | |


| FA-753R | FA-753R115 FA-753R515 FA-753R520 FA-753R615 FA-753R620 | cULus | | 15A/20A 125V attachment receptacle Nema: 1-15,5-15,5-20,6-15,6-20. For wire sizes: SJT AWG# 18 to AWG# 12 |
|-----------------------|--|--------|----|---|
| FA-754P | FA-754PTT | cULus | W. | 30A 125V TRAILER PLUG Cat.No:FA-754P attachment plugs for RV Nema configurations TT(SB0993) For wire sizes: SJT,ST AWG#10 to AWG# 8 |
| FA-756 RV adapter | FA-756RV | Non UL | | 15A/30A 125V TRAILER ADAPTER Nema configurations 5-15P to TT(SB0993) |
| FA-756A RV adapter | FA-756ARV | Non UL | 4 | 15A/30A 125V TRAILER ADAPTER Nema configurations TT(SB0993) to 5-15R |
| FA-757P | FA-757PL530 FA-757PL630 | cULus | | 30A 125V Locking type attachment plug |
| FA-760P | FA-760P515 | cULus | | 15A 125V attachment plug Good for SPT & SJT AWG# 18 to AWG# 14 |
| FA-760R | FA-760R515 | cULus | | 15A 125V attachment receptacle Good for SPT & SJT AWG# 18 to AWG# 14 |
| FA-761P | FA-761P115 | cULus | | 15A 125V attachment plug Good for SPT & SJT AWG# 18 to AWG# 14 |
| FA-761R | FA-761R115 | cULus | | 15A 125V attachment receptacle Good for SPT & SJT AWG# 18 to AWG# 14 |

For Enquiry, please do contact:-

Multiway Ind (HK) Ltd., Unit 5B, 7th floor, Taxaco Road Ind Centre, 14-22 Wang Lung Street, Tsuen Wan, Hong Kong, SAR China. Phone: (852) 2407 5405 Fax: (852) 2407 6236

Email: Sales@Multiway.com






FA-750P Series Metal Shield Grounded










FA-751P








Hospital Grade Approved










































Non-UL certified but made to UL standards $FA\mbox{-}756ARV$




Non-UL certified but made to UL standards








FA-761R





AXUT.E175116 - Attachment Plugs, Fuseless

05/08/2012 8:14 AM



ONLINE CERTIFICATIONS DIRECTORY

AXUT.E175116 Attachment Plugs, Fuseless

Page Bottom

Attachment Plugs, Fuseless

See General Information for Attachment Plugs, Fuseless

MULTIWAY INDUSTRIES (HK) LTD

E175116

7TH FL, UNIT 5
TEXACO RD INDUSTRIAL CENTRE
14-22 WANG LUNG ST, BLK B
TSUEN WAN, HONG KONG

Trademark and/or Tradename: "ME-2"

Adapters, Cat. Nos. D7510-96-86, D7510-96-86, FF-498, GE4391#, GE4391A#, GE4392, 045A, 310-1-C, 312A, 312AL, 313A, 313AL, FA-115.

Attachment plugs, Series FA-749P.

Series FA-751P, FA-757P.

Cat. No. FA-754P.

Series FA-750P, FA-752P and FA-753P.

Models FA-760P(5-15P) and FA-761P(1-15P).

Cord connectors, Type FA-749R.

Series FA-750R, FA-752R and FA-753R.

Model FA-758R(5-15R).

Models FA-760R(5-15R) and FA-761R(1-15R).

- May be followed by alphanumeric suffixes up to seven places to indicate color and packaging variations.

Last Updated on 2012-07-25

Questions?

Print this page

Terms of Use

Page Top

@ 2012 UL LLC

When the UL Leaf Mark is on the product, or when the word "Environment" is included in the UL Mark, please search the <u>UL Environment database</u> for additional information regarding this product's certification.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions; 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2012 UL LLC".



ONLINE CERTIFICATIONS DIRECTORY

AXUT7.E175116 Attachment Plugs, Fuseless Certified for Canada

Page Bottom

Attachment Plugs, Fuseless Certified for Canada

See General Information for Attachment Plugs, Fuseless Certified for Canada

MULTIWAY INDUSTRIES (HK) LTD

E175116

7TH FL, UNIT 5 TEXACO RD INDUSTRIAL CENTRE 14-22 WANG LUNG ST, BLK B TSUEN WAN, HONG KONG

Appliance couplers

| Cat. No. | No. Poles | No. Wire | Rating | Note |
|----------|-----------|----------|-----------|------|
| FA-115 | 2 | 2 | 15A, 125V | - |

Attachment plugs

| Cat. No. | No. Poles | No. Wire | Rating | Note |
|-----------------|-----------|----------|-----------------|------|
| FA-749 1-15P | 2 | 2 | 15A, 125V | 2 |
| FA-749 S-15P | 2 | 3 | 15A, 125V | 2 |
| FA-749 5-20P | 2 | 3 | 20A, 125V | 2 |
| FA-749 6-15P | 2 | 3 | 15A, 250V | 2 |
| FA-749 6-20P | 2 | 3 | 20A, 250V | 2 |
| FA-751P(10-30P) | 3 | 3 | 30 A, 125/250 V | 2 |
| FA-751P(10-50P) | 3 | 3 | 50 A, 125/250 V | 2 |
| FA-751P(14-30P) | 3 | 4 | 30 A, 125/250 V | 2 |
| FA-751P(14-50P) | 3 | 4 | 50 A, 125/250 V | 2 |
| FA-751P(6-30P) | 2 | 3 | 30 A, 250 V | 2 |
| FA-751P(6-50p) | 2 | 3 | 50 A, 250 V | 2 |
| FA-754P | 2 | 3 | 30 A, 120 V | 2 |
| FA-757P(L5-30P) | 2 | 3 | 30 A, 125 V | 2 |
| FA-757P(L6-30P) | 2 | 3 | 30 A, 250 V | 2 |
| FA-750P(1-15P) | 2 | 2 | 15A, 125V | 2 |
| FA-750P(5-15P) | 2 | 3 | 15A, 125V | 2 |
| FA-750P(5-20P) | 2 | 3 | 20A, 125V | 2 |
| FA-750P(6-15P) | 2 | 3 | 15A, 250V | 2 |
| FA-750P(6-20P) | 2 | 3 | 20A, 250V | 2 |
| FA-752P(1-15P) | 2 | 2 | 15A, 125V | 2 |
| FA-752P(5-15P) | 2 | 3 | 15A, 125V | 1 |
| FA-752P(5-20P) | 2 | 3 | 20A, 125V | 2 |
| FA-752P(6-15P) | 2 | 3 | 15A, 250V | 2 |

| FA-752P(6-20P) | 2 | 3 | 20A, 250V | 2 |
|-----------------|---|---|-----------|---|
| FA-752P(L5-15P) | 2 | 3 | 15A, 125V | 2 |
| FA-752P(L5-20P) | 2 | 3 | 20A, 125V | 2 |
| FA-752P(L6-20P) | 2 | 3 | 20A, 250V | 2 |
| FA-753P(1-15P) | 2 | 2 | 15A, 125V | 2 |
| FA-753P(5-15P) | 2 | 3 | 15A, 125V | 2 |
| FA-753P(5-20P) | 2 | 3 | 20A, 125V | 2 |
| FA-753P(6-15P) | 2 | 3 | 15A, 250V | 2 |
| FA-753P(6-20P) | 2 | 3 | 20A, 250V | 2 |
| FA-760P(5-15P) | 2 | 3 | 15A, 125V | 2 |
| FA-761P(1-15P) | 2 | 2 | 15A, 125V | 2 |

Cord o

| Cat. No. | No. Poles | No. Wire | Rating | Note |
|----------------|-----------|----------|-----------|------|
| FA-750R(1-15R) | 2 | 2 | 15A, 125V | 2 |
| FA-750R(5-15R) | 2 | 3 | 15A, 125V | 2 |
| FA-750R(5-20R) | 2 | 3 | 20A, 125V | 2 |
| FA-750R(6-15R) | 2 | 3 | 15A, 250V | 2 |
| FA-750R(6-20R) | 2 | 3 | 20A, 250V | 2 |
| FA-752R(1-15R) | 2 | 2 | 15A, 125V | 2 |
| FA-752R(5-15R) | 2 | 3 | 15A, 125V | 2 |
| FA-752R(5-20R) | 2 | 3 | 20A, 125V | 2 |
| FA-752R(6-15R) | 2 | 3 | 15A, 250V | 2 |
| FA-752R(6-20R) | 2 | 3 | 20A, 250V | 2 |
| FA-753R(1-15R) | 2 | 2 | 15A, 125V | 2 |
| FA-753R(5-15R) | 2 | 3 | 15A, 125V | 2 |
| FA-753R(5-20R) | 2 | 3 | 20A, 125V | 2 |
| FA-753R(6-15R) | 2 | 3 | 15A, 250V | 2 |
| FA-753R(6-20R) | 2 | 3 | 20A, 250V | 2 |
| FA-758R(5-15R) | 2 | 3 | 15A, 125V | 2 |
| FA-760R(5-15R) | 2 | 3 | 15A, 125V | 2 |
| FA-761R(1-15R) | 2 | 2 | 15A, 125V | 2 |

Notes:

1. Hospital grade

2. Appliance type

Last Updated on 2012-07-25

Terms of Use Page Top Questions? Print this page

© 2012 UL LLC

When the UL Leaf Mark is on the product, or when the word "Environment" is included in the UL Mark, please search the UL Environment database for additional information regarding this product's certification.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.